## **CLAIMS**

1. An oral sustained release pharmaceutical composition comprising a plurality of granules having diameters of not more than 1000 μm, each of which comprises a nucleus granule containing beraprost sodium, and a coating agent constituting at least two skin layers including (1) a skin layer containing a relatively water-insoluble macromolecular substance and (2) a skin layer containing a hot-melt low-melting substance, said nucleus granule being coated with said coating agent.

10

15

5

- 2. The oral sustained release pharmaceutical composition according to claim 1, wherein said relatively water-insoluble macromolecular substance is at least one selected from the group consisting of water-insoluble alkyl cellulose ether derivatives, water-insoluble acrylic polymer derivatives and water-insoluble vinyl derivatives.
- 3. The oral sustained release pharmaceutical composition according to claim 1 or 2, wherein said hot-melt low-melting substance has a softening point of not higher than 70°C.

20

4. The oral sustained release pharmaceutical composition according to any one of claims 1 to 3, wherein said hot-melt low-melting substance is at least one selected from the group consisting of higher alcohols, higher fatty acids, higher fatty acid glycerin esters, waxes and saturated hydrocarbons.

25

5. The oral sustained release pharmaceutical composition according to any one of claims 1 to 4, wherein the weight ratio of (1) said skin layer containing the relatively water-insoluble macromolecular substance to (2) said skin layer containing the hot-melt low-melting substance is within a range between 1:9 and

9:1, preferably between 3:7 to 7:3.

6. A process for producing an oral sustained release pharmaceutical composition comprising a plurality of granules having diameters of not more than 1000 μm, each of which comprises a nucleus granule containing beraprost sodium, and a coating agent constituting at least two skin layers including (1) a skin layer containing a relatively water-insoluble macromolecular substance and (2) a skin layer containing a hot-melt low-melting substance, said nucleus granule being coated with said coating agent.